



NOTES:

1. SLIP SHEET CAN BE A STRIP OF FLEX-FLASH F OR POLYETHYLENE PLASTIC SHEET PLACED OVER THE INSTALLED MM6125. THIS WILL ALLOW FOR FREE MOVEMENT OF THE EXPANSION JOINT SYSTEM AND MM6125 UNDER THE PROTECTION SHEET. THE OVERBURDEN SHOULD ALLOW FOR THIS MOVEMENT AS WELL.
2. LAPS OF THE PROTECTION SHEET SHOULD TAKE PLACE OVER THE JOINT AND LEFT DRY FOR FREE MOVEMENT
3. REFER TO EMSEAL'S INSTALLATION GUIDELINES AND RECOMMENDATIONS FOR PROPER INSTALLATION OF ROOFJOINT AND TERMINATION BAR



BUILDING TRUST

312-337-4998

hydrotechusa.com

DECK-TO-DECK EMSEAL ROOFJOINT TIE-IN

SCALE:	DATE:	FILE NO.:	DRW. NO.:
N.T.S.	01-2026	MM6125	W-6E

AS A MEMBRANE MANUFACTURER, SIIKA CORPORATION ("SIKA") REVIEWS DETAILS PREPARED BY THE CONSULTANT, ARCHITECT AND/OR ENGINEER FOR A PROJECT SOLELY FOR THE PURPOSE OF DETERMINING IF A SIIKA WARRANTY MAY ISSUE FOR THE PROJECT. THIS REVIEW IS NOT TO BE CONSTRUED AS APPROVAL OF DETAILS BY SIIKA AND IS NOT BEING CONDUCTED IN LIEU OF SOUND ENGINEERING AND ARCHITECTURAL PRACTICES AND JUDGMENT AND SHOULD NOT BE RELIED UPON FOR THAT PURPOSE. SIIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM. THE ARCHITECT, CONSULTANT AND/OR ENGINEER OR DESIGN PROFESSIONAL FOR A PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM, FOR THE PREPARATION AND APPROVAL OF THE DETAILS AND SHOP DRAWINGS, AND FOR DETERMINING THEIR SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS MEMBRANE AS WELL AS TRAINING FOR SIIKA AUTHORIZED APPLICATORS, THE MEANS AND METHODS USED BY THE CONTRACTOR FOR SURFACE PREPARATION AS WELL AS THE MEANS AND METHODS EMPLOYED BY THE CONTRACTOR IN THE INSTALLATION OF THE SIIKA MEMBRANE ARE THE RESPONSIBILITY OF THE CONTRACTOR. ALL SALE OF SIIKA PRODUCTS AND SERVICES ARE SUBJECT TO SIIKA'S TERMS AND CONDITIONS OF SALE AVAILABLE AT HYDROTECHUSA.COM.