

STONE CAP OR METAL COPING  
REF. DETAIL R-13 FOR ALTERNATE  
TERMINATIONS


SEALANT

FLEX-FLASH UN w/BONDING ADHESIVE  
FLEX FLASH MB, SIKALASTIC RAPID,  
OR OTHER APPROVED FLASHING (12-B)

HYDROFLEX 30  
SEPARATION SHEET OR  
OTHER APPROVED PROTECTION

APPROPRIATE SURFACING-  
STONE OR PAVER BALLAST,  
HYDROGUARD, GARDEN ROOF

MONOLITHIC MEMBRANE  
6125-FR



SIKALASTIC RAPID 724  
RESIN W/SIKALASTIC  
RAPID FLEECE PMMA  
(SEE NOTE 3)

FLEX-FLASH UN

4" MIN.

5/8" MIN. THICKNESS  
FIRE RATED, TYPE "X"  
GYPSUM BOARD  
(i.e., SECUROCK)

MIN. 22 GAUGE STRUCTURAL  
METAL DECK

(REF. DETAIL R-12 FOR ALTERNATE  
CORNER TRANSITIONS)

FLEX-FLASH MB

FLEX-FLASH UN

3"

3"

NOTES:

1. ADEQUATE STRUCTURAL SUPPORTS, NUMBER AND TYPE OF FASTENERS REQUIRED TO COMPLY WITH APPLICABLE CODES, SHOULD BE DETERMINED BY PROJECT A/E.
2. ADDITIONAL REINFORCING (MM6125 W/6" WIDE FLEX-FLASH F) IS REQUIRED OVER SUBSTRATE BOARD JOINTS FOR EXTENDED (10+ YEARS) WARRANTIES.
3. SIKALASTIC RAPID 724 RESIN MUST EXTEND 4" MIN. ONTO THE APPROVED SUBSTRATE BEYOND THE MM6125 TERMINATION.

**BUILDING TRUST**  
312-337-4998



TYPICAL PARAPET  
ROOF BOARD/METAL DECK

SCALE:

N.T.S.

DATE:

03-2026

FILE NO.:

MM6125

DRW. NO.:

R-11C

AS A MEMBRANE MANUFACTURER, SIKA CORPORATION ("SIKA") REVIEWS DETAILS PREPARED BY THE CONSULTANT, ARCHITECT AND/OR ENGINEER FOR A PROJECT SOLELY FOR THE PURPOSE OF DETERMINING IF A SIKA WARRANTY MAY ISSUE FOR THE PROJECT. THIS REVIEW IS NOT TO BE CONSTRUED AS APPROVAL OF DETAILS BY SIKA AND IS NOT BEING CONDUCTED IN LIEU OF SOUND ENGINEERING AND ARCHITECTURAL PRACTICES AND JUDGMENT AND SHOULD NOT BE RELIED UPON FOR THAT PURPOSE. SIKA CORPORATION ASSUMES NO LIABILITY WITH RESPECT TO THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM. THE ARCHITECT, CONSULTANT AND/OR ENGINEER OR DESIGN PROFESSIONAL FOR A PARTICULAR PROJECT BEARS THE SOLE RESPONSIBILITY FOR THE DESIGN OF THE ROOFING OR WATERPROOFING SYSTEM, FOR THE PREPARATION AND APPROVAL OF THE DETAILS AND SHOP DRAWINGS, AND FOR DETERMINING THEIR SUITABILITY FOR A PARTICULAR PROJECT OR APPLICATION. WHILE SIKA PROVIDES GENERAL INSTRUCTIONS FOR THE INSTALLATION OF ITS MEMBRANE AS WELL AS TRAINING FOR SIKA AUTHORIZED APPLICATORS, THE MEANS AND METHODS USED BY THE CONTRACTOR FOR SURFACE PREPARATION AS WELL AS THE MEANS AND METHODS EMPLOYED BY THE CONTRACTOR IN THE INSTALLATION OF THE SIKA MEMBRANE ARE THE RESPONSIBILITY OF THE CONTRACTOR. ALL SALE OF SIKA PRODUCTS AND SERVICES ARE SUBJECT TO SIKA'S TERMS AND CONDITIONS OF SALE AVAILABLE AT HYDROTECHUSA.COM.