



**LARGE PENETRATION**  
(ie. SKYLIGHT/HVAC CURB)



**SMALL PENETRATION**  
(ie. ROOF DRAIN/PIPE)



**PENETRATION AT PERIMETER**  
(ie. FALL PROTECTION ANCHOR/DAVIT)

**NOTES:**

1. SEE DETAILS GA-8A AND GA-8B FOR GARDMAT, INSTAGREEN SEDUM CARPET AND DISK ANCHOR GENERAL INSTALLATION GUIDELINES.
2. DISK ANCHORS AROUND PENETRATIONS SHOULD BE SPACED APPROX. 2'-0" ON CENTER.
3. FOR WIND WARRANTY, VEGETATION FREE ZONE MUST BE 24" MINIMUM WIDTH; CONTACT HYDROTECH FOR DETAILS.
4. ALL PROJECTS MUST BE REVIEWED PRIOR TO BID BY HYDROTECH'S TECHNICAL DEPARTMENT FOR SPECIFIC WIND UPLIFT REQUIREMENTS AND EROSION CONTROL SOLUTIONS



**GARDEN  
ROOF  
ASSEMBLY**

**AMERICAN HYDROTECH, INC.**

**TYPICAL GARDMAT PENETRATION  
DETAILS**

SCALE: NONE  
DATE: 11/01/17

GA-9